ELSEVIER

Biomembranes

Vol. 1324, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Cumulative Contents

Information for Contributors *vii*

Regular papers

Phase behavior of fluorocarbon di-*O*-alkyl-glycerophosphocholines and glycerophosphoethanolamines and long-term shelf stability of fluorinated liposomes
V. Ravily, C. Santaella, P. Vierling and A. Gulik (France) 1

Chlorpromazine activates chloride currents in *Xenopus* oocytes
G.A. Quamme (Canada) 18

The reduction of the positive charges of polylysine by partial gluconoylation increases the transfection efficiency of polylysine/DNA complexes
P. Erbacher, A.C. Roche, M. Monsigny and P. Midoux (France) 27

Purification of the nicotinic acetylcholine receptor protein by affinity chromatography using a regioselectively modified and reversibly immobilized α-toxin from *Naja nigricollis*
P. Ringler, P. Kessler, A. Ménez and A. Brisson (France, The Netherlands) 37

Glycerol backbone conformation in phosphatidylcholines is primarily determined by the intramolecular stacking of the vicinally arranged acyl chains
A. Arora and C.M. Gupta (India) 47

Novel thermal phase transition behavior of phosphatidylcholine analogs containing 1,2,4-butanetriol as their backbone
A. Arora and C.M. Gupta (India) 61

Fluorescence studies on the interaction of a synthetic signal peptide and its analog with liposomes
Q. Wang, D. Cui and Q. Lin (China) 69

Localization of flunitrazepam in artificial membranes. A spectrophotometric study about the effect the polarity of the medium exerts on flunitrazepam acid-base equilibrium
D.A. García and M.A. Perillo (Argentina) 76

Replacement of Val^{674} by Pro increases the sensitivity of the plasma membrane Ca^{2+} pump to inhibition by Mg^{2+}
H.P. Adamo, A.F. Rega, A.G. Filoteo, A.K. Verma and J.T. Penniston (Argentina, USA) 85

The 17 kDa band identified by multiple anti-aquaporin 2 antisera in rat kidney medulla is a histone
I. Jo, S. Nielsen and H.W. Harris (USA, Denmark) 91

The effect of sterols on the sensitivity of membranes to the channel-forming antifungal antibiotic, syringomycin E
A.M. Feigin, L.V. Schagina, J.Y. Takemoto, J.H. Teeter and J.G. Brand (USA, Russia) 102

Characterization of rat Glut4 glucose transporter expressed in the yeast *Saccharomyces cerevisiae*: comparison with Glut1 glucose transporter
T. Kasahara and M. Kasahara (Japan) 111

Conditions allowing different states of ATP- and GDP-induced permeability in mitochondria from different strains of *Saccharomyces cerevisiae*
X. Roucou, S. Manon and M. Guérin (France) 120

Inhibition of endothelial cell amino acid transport System y^+ by arginine analogs that inhibit nitric oxide synthase
K.K. McDonald, R. Rouhani, M.E. Handlogten, E.R. Block, O.W. Griffith, R.D. Allison and M.S. Kilberg (USA) 133

Histidine-containing dipeptides as endogenous regulators of the activity of sarcoplasmic reticulum Ca-release channels
M.A. Batrukova and A.M. Rubtsov (Russia) 142

Structural characterization of free and membrane-bound nisin by infrared spectroscopy
R. El-Jastimi and M. Lafleur (Canada) 151

Role of cysteine residues of rat A_{2a} adenosine receptors in agonist binding
M.R. Mazzoni, L. Giusti, E. Rossi, S. Taddei and A. Lucacchini (Italy) 159

Information for Contributors vii

Regular papers

Impermeant antitumor sulfonylurea conjugates that inhibit plasma membrane NADH oxidase and growth of HeLa cells in culture. Identification of binding proteins from sera of cancer patients
C. Kim, W.C. MacKellar, N.M. Cho, S.R. Byrn and D.J. Morré (USA) 171

Purification and characterisation of a plasminogen-binding protein from *Haemophilus influenzae*. Sequence determination reveals identity with aspartase
I. Sjöström, H. Gröndahl, G. Falk, G. Kronvall and M. Ullberg (Sweden) 182

Apical-to-basolateral transepithelial transport of Ochratoxin A by two subtypes of Madin-Darby canine kidney cells
G. Schwerdt, M. Gekle, R. Freudinger, S. Mildenberger and S. Silbernagl (Germany) 191

Acid-catalyzed plasmenylcholine hydrolysis and its effect on bilayer permeability: a quantitative study
O.V. Gerasimov, A. Schwan and D.H. Thompson (USA) 200

Putrescine export in *Xenopus laevis* oocytes occurs against a concentration gradient: evidence for a non-diffusional export process
G.H. Fukumoto and C.V. Byus (USA) 215

Effect of ischaemia and reperfusion on the intracellular concentration of taurine and glutamine in the hearts of patients undergoing coronary artery surgery
M.-S. Suleiman, A.C. Moffatt, W.C. Dihmis, M. Caputo, J.A. Hutter, G.D. Angelini and A.J. Bryan (UK) 223

pH-Induced destabilization of lipid bilayers by a lipopeptide derived from influenza hemagglutinin
A.L. Bailey, M.A. Monck and P.R. Cullis (Canada) 232

The influence of luminal pH on transport of neutral and charged dipeptides by rat small intestine, in vitro
N. Lister, P.D. Bailey, I.D. Collier, C.A.R. Boyd and J.R. Bronk (UK) 245

Influence of proton and essential histidyl residues on the transport kinetics of the H^+/peptide cotransport systems in intestine (PEPT 1) and kidney (PEPT 2)
M. Brandsch, C. Brandsch, M.E. Ganapathy, C.S. Chew, V. Ganapathy and F.H. Leibach (USA) 251

A freeze-fracture study of the membrane morphology of phosphatidylethanolamine-deficient *Escherichia coli* cells
A.G. Rietveld, A.J. Verkleij and B. De Kruijff (The Netherlands) 263

An amphipathic α-helix is the principle membrane-embedded region of CTP:phosphocholine cytidylyltransferase. Identification of the 3-(trifluoromethyl)-3-(*m*-[^{125}I]iodophenyl)diazirine photolabeled domain
J.E. Johnson, R. Aebersold and R.B. Cornell (Canada, USA) 273

Characterization of the solubilized oocyte membrane receptor for insecticyanin, a biliprotein of the hawkmoth, *Manduca sexta*
Y. Kang, R. Ziegler, R. Van Antwerpen and J.H. Law (USA) 285

Interaction of anionic cephalosporins with the intestinal and renal peptide transporters PEPT 1 and PEPT 2
M.E. Ganapathy, P.D. Prasad, B. Mackenzie, V. Ganapathy and F.H. Leibach (USA) 296

The growth of bilayer defects and the induction of interdigitated domains in the lipid-loss process of supported phospholipid bilayers
Y. Fang and J. Yang (USA) 309

5-Iodonaphthyl-1-azide labeling of plasma membrane proteins adjacent to specific sites via energy transfer
B.I. Meiklejohn, N.A. Rahman, D.A. Roess and B.G. Barisas (USA) 320

Cumulative Contents, Vol. 1324 333

Author Index 335